



PASSIVE SPEAKER

MELOS PASSIVE

A MELODY IN YOUR EARS

Wrapped in Goldmund's iconic grey aluminium finish, Melos Passive is equipped with high-end drivers to reproduce sound with extreme precision, offering extended frequency response and exceptional dynamic range, ensuring that every subtle nuance and emotion of the music is faithfully conveyed.





PASSIVE SPEAKER

MELOS Passive

DRIVERS 1 x soft dome tweeter 1 x 7" woofer

FREQUENCY RESPONSE

43 Hz (-6 dB) > 25 kHz

BASS LOAD

Vent loading

PRECISION SOUND

20 kg per unit

The Melos Passive loudspeaker uses advanced crossover technology to ensure seamless frequency integration and optimum dispersion. This ensures precise control and balancing of frequencies, resulting in a truly immersive and realistic soundstage.

IMPEDANCE	COLOR
Nominal value: 6.0 Ohms	Silver Grey and Black Grills
Minimal value: 4.4 Ohms	
TOTAL SIZE & WEIGHT PER UNIT	
25 W x 35 H x 36,2 D (cm)	





ACCESSORY MELOS STAND

SIZE (PER UNIT, WITHOUT SPEAKER)

35 W x 110 H x 35 D (cm) 13.8 W x 43.3 H x 13.8 D (inch)

PRECISION-CRAFTED MECHANICS

Crafted with meticulous attention to detail, the Melos Stand features a rectangular support bar and a sturdy rectangular base, both boasting a harmonious blend of two distinct aluminium finishes – micro-blasted and brushed. This fusion not only adds a touch of sophistication to your space but also plays with light to create a captivating light game, enhancing the visual appeal of your audio setup.

SIZE (PER UNIT, WITH SPEAKER) 35 W x 145 H x 35 D (cm) 13.8 W x 57.1 H x 13.8 D (inch)

WEIGHT (PER UNIT)9.5 Kg (without speaker)33.5 Kg (with speaker)

WWW.GOLDMUND.COM